



STARK

STRONGLY CHOSEN

SINCE 1980

STARK ROTARY BROOM RB



SWEEPING

- Efficient rotary broom for cleaning yards and various other areas.
 - Simple, strong and durable structure. Provides excellent visibility to working area when used with e.g. smaller base machines.
 - Thanks to its support wheels, the rotary broom is easy to use. Stepless adjustment of support wheel height. Excellent brushing result thanks to vertical and horizontal floating. Motor is integrated inside the brush roller, allowing the cleaning of hard-to-reach areas.
 - Dampened clutch protects the roller during starting and impact and the bypass valve protects the roller during stopping.
 - Thanks to STARK FIT adapters, it is easy to switch machines.
-
- For machines under 6 tonnes.
 - Requirements for hydraulics: 2 x 2 function hydraulics (4 pipes).
 - Hydraulics output: 24–36 l/min with rotational speed of 120–160 RPM (Note: the broom is not equipped with flow control).
 - Swing check valve in the brush frame: 1 x 2 function hydraulics + electronic control.
 - Nozzles (no irrigation system), allowing the use of the tank on top of the motor compartment.



STANDARD EQUIPMENT

- ▶ Floating, 700 mm Ecoline lamellas
- ▶ Support wheels
- ▶ Hydraulic turning

OPTIONAL EQUIPMENT


- ▶ Nozzles (must be attached to machine's water tank)
- ▶ Rotation direction control electric valve



STARK

www.stark.fi
STARK / Lametal Oy

TECHNICAL DRAWINGS



TECHNICAL DIMENSIONS

Product	Max. width (mm)	Working width (mm)	Length (mm)	Lamella diameter (mm)	Height (mm)	Tilt angle ± (°)	Working width with max. angle (mm)	Floation height (mm)	Floation angle to the side ± (°)	Back tilting angle (°)	Weight (kg)	Min. oil requirement (l/min)	Max. oil output (l/min)	Max. pressure (bar)	Max. counterpressure of return line (bar)
	A	B	C	D	E	F	G	H	I	J					
RB 1000	1170	1000	1470	700	970	25	900	100	8	5	320	30	60	180	120
RB 1300	1470	1300	1470	700	970	25	1180	100	8	5	330	30	60	180	120
RB 1600	1770	1600	1470	700	970	25	1450	100	8	5	340	30	60	180	120
RB 2000	2170	2000	1470	700	970	25	1810	100	8	5	390	30	60	180	120

* Weight may vary depending on equipment.